This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):


- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS


IMAGES ARE BEST AVAILABLE COPY.


As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Figure 1









	cells		accessible regions				
	HEK 293		· →	+	÷		
	Нер3В	+	*	÷	/		
	skeletzi muscle	+	· 👈	+	+	•	
	H9c2(2-1)	•	+	+			
	cardiac myocyte		+	÷	↓ ·		
	.•						
		HRE		SPI	SP1I alternate	1	
•		-1000	-500	AP-2 -1	-500	-1000	

Sequence conservation:
gray: individual bases
black: five-mer blocks

F

Figure 2





Figure 2



The state of the s

Figure 3




Figure 3




Figure 3




Figure 4




Figure 5




Figure 6






Figure 7








FIG. 8






FIG. 9




VEGF-A protein production detected by ELISA) VEGF-A Gene By ZFPs in 293 Cells



VEGF-A mRNA Detected by Taqman Analysis Activation of Human VEGF-A Gene by ZFPs The state of the s

ctivation of Human VEGF-A Gene Promoter by

Activation of VEGF Reporter in 293 cells



VEGF Activation By ZFP VOP28A and RAT24A in 293 Cells (VEGF protein detected by ELISA)





Figure 14

Relative VEGF-A mRNA level Þ (VEGF-A/GAPDH) **VEGF-A mRNA Activation by ZFPs** control VOP28A -500 VOP30A VOP32B +1/+500 +500 Relative VEGF-C mRNA level B **VEGF-C mRNA Activation by ZFPs** (VEGF-C/GAPDH) 2.0 2.5 3.0 0.5<u>1</u>.5 control VOP28A VOP30A VOP32B no site

Figure 15



E.s.}
427
(1)
-#(;
.LJ
5
f.i
m fe
Į.į
in a la

ZFP.	Target		Finger	
Name	Sequence 5' - 3'	Subsites 5' - 3'	Designs -1123456	
πV2+57	TSASCSSCSCASCSGAGe	TGA; GCG; GCG; GCA; GCG; GAG;	QSGHLTK RSDELSR RSDELTR QSGSLTR	F6 F5 F3 F2 F1
mVZ+426	GGGGTGAC:	GGGg GGTg GACc	RSDHLAR TSGHLVR DRSNLTR	F3 F2 F1
mV2+509	GCTGGGGGC4	GCTG GGGG GGCG	OSSOLTR RSOHLTR DRSHLTR	F3 F2 F1

D	ZFP	Target	Gel Shift		Apparent Kd (nM)
	mVZ+57	TGAGCGGCGGCAGCGAGC		Bound Free	0.031
	mVZ+426	GGGGGTGACc	·	Bound Free	<0.01
	mVZ+509	GCTGGGGGCg		Bound Free	<0.01
	SP1	GGGGCGGGG	جميد المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين المستو المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين المستوادين	Bound Free	0.053

0

GFP -NVF

mVZ +57 mVZ mVZ +426 +509




FIG. ITA




FIG. 17B




FIG. 17C




FIG. 17D




FIG. 18





FIG. 18 E







FIG. 19C



VEGF-ZFP (MVG)

FIG. 20A



GFP Control

FIG. 20B




FIG. 21 A

F16. 21 B




FIG. 21C